



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

after sitting, and it was a great difficulty to him to get up, which perhaps was occasioned by the Weight and Pressure of the Kidney and adjacent indurated Glands, lying on the head of the *Psoas* Muscle and *Quadratus lumborum*.

He had often a total Suppression of Urine ; but was much relieved by *Sal Succini* and *Corn. Cervi*. He took several Doses of *Cantharides* with Camphire, without any ill effect from the Fly, but had little Relief as to his Distemper. For Three Weeks past he was seized with a violent Looseness, which at last, in spite of all means, carry'd him off.

---

VII. *An Account of a Book, intitul'd, Index Plantarum Horti Lugduno-Batavi, per Herman. Boerhaven. Lugduni Batav. 1710. 8vo. p. 278.*

THE Author Dr. *Boerhave* hath in this Catalogue given the World an early Specimen of his large Knowledge in Botany, he being elected Professor of that Science at *Leyden* but the Spring before this Publication, upon the Death of Dr. *Hotton*, who succeeded that Celebrated Botanist Dr. *Paul Herman*, whose Catalogue of that Garden, with his *Prodromus* and *Paradysus Batavus*, are living Testimonies of his Immortal Fame. This Curious Botanist to repair his loss, obliges us here with a Methodical Index of all such Plants as actually grew in that Garden the last Year, that the World may see what he can

can furnish them withal, as well as what he wants ; so that by a mutual Commutation each may improve his Stock. It were highly to be wish'd, that other *Nations* would, as he has yearly promis'd, do the like, and especially our own, since we have several *Noble* as well as private *Persons* in *ENGLAND*, and some particular *Communities*, which have not been wanting either for *Cost* or *Industry* to stock their *Gardens* with many *Rare* and *Exotick Plants* ; and till some *Curious Person* will take the Pains to publish a *Catalogue* of them, I presume it will not in the *interim* be amiss to give here an Extract from this, of such *Plants* as have very rarely or never been Cultivated in any of our *Publick* or other *Curious Gardens* here in *England*.

In giving these I shall follow the *Author's Method*, but divide them under these 3 general *Heads*, viz.

I. A List of the *Non-Descript Plants*, viz. such as *Dr. Boerhave* has given as New, or without any *Author* to them.

II. A *Catalogue* of the more *rare Plants* lately *discovered*.

III. Such as are no less *rare* in our *English Gardens*, tho' *formerly* described.

*A Catalogue of the Non Descript Plants, viz.*

I. Such as Dr. Boerhave has given as New, or without any Author to them.

- R** *Anunculus* fol. *Rutæ*, flore aureo simplici p. 3.  
*Thalictrum* fl. luteo, caule anguloso, fol. minori 7.  
*Oenanthe* aquatica minor 9.  
*Phellandrium* fol. *Thysselini*, caule rotundo 11.  
*Phellandrium* fol. *Thysselini*, caule sulcato 11.  
*LasERPitium* lato, glauco splendente, trifido folio, flore albo, umbella Sphærica 13.  
*Caucalis Africana*, fol. minore *Rutæ* 15.  
*Sphondylium* folio frequentius laciniato 16.  
*Panax* folio glabro nitente lato 16.  
*Panax* fol. glabro nitente altior 16.  
*Myrrhis* annua glabra alba minor 17.  
*Myrrhis Oriental.* fol. angustiore *Peucedani*, sem. villoso 17.  
*Lactuca* altissima, fol. *Sonchi* laciniato, fl. parvo cæruleo 21.  
*Lactuca* Sylv. folio ad latera spinoso 21.  
*Sonchus* Orient. *Lactucæ* folio, fl. luteo, sem. eleganter crenato 23.  
*Hieracium* folio, caule, & calyce hirsutis 25.  
*Hieracium* folio amplo longo dentato, flosculis parvis luteis 25.  
*Dens Leonis* folio *Coronopi* 26.  
*Cichorium* sem. adunco, fl. triplo majore, capitulis minoribus 27.  
*Jacobeæ* maritima, fol. integro ferrato viridi 31.  
*Anemonospermus Africana* fol. *Jacobeæ*, fl. luteo extus puniceo 31.  
*Helenium Indicum* maximum, flore pleno aureo 32.  
*Helenium Indicum* maximum, fl. pleno sulphureo 32.  
*Chamæmelum* marin. *Afiat.* nudum humifus fol. crasso 36.

*Millefolium tomentosissimum* 38.

*Senecio Ægyptius* fol. *Matricaria* 40.

*Senecio African.* arborescens, fol. serrato 41.

*Elichrysum Afric.* fol. oblongo subincano supra viridi, fl. luteo 42.

*Elichrysum Afric.* fol. oblongo angusto, fl. rubello postea aureo 42.

*Elichrysum Afric.* f. oblongo lato tomentoso, fl. luteo 43.

*Elichrysum Afric.* fol. oblongo tomentoso, caulem amplectante, flore luteo 43.

*Santolina Orient.* odore *Chamæmeli*, fol. vermiculato 44.

*Abfinthium Santonicum Ægyptiacum* 45.

*Scabiosa integrifolia Syriaca Sivan dicta* 47.

*Scabiosa Africana* frutescens, fol. *Rutæ Canina* 47.

*Cirsium maximum*, capite parvo 51.

*Cirsium rad. Asphodeli*, fol. lato & lucido 51.

*Cirsium majus*, fol. subtus incano 51.

*Cirsium angustifol.* capitulo magno 51.

*Clinopodium Siculum* folio *Satureiæ* 61.

*Lamium arborescens* perenne *Canadense*, fol. rotundiore & viridior 63.

*Scalaria Æthiopica* fol. subrotundo perennis 63.

*Horminum pratense*, folio non serrato 64.

*Scalaria Africana* amplissimo folio annua 64.

*Teucrium Orientale*, facie *Chamedryos* 73.

*Linum umbilicatum*, folio latiore 78.

*Symphytum magis maculosum* 78.

*Symphytum maximè maculosum* 78.

*Echium folio asperrimo & verrucoso* 78.

*Echium ferox Ægyptium*, fl. carneo 79.

*Cerithe quorundam major*, versicolore fl. laciniato 79.

*Alline folio Kali*, flore subcaeruleo 83.

*Lychnis Suecica Scrotum Arietis dicta* 85.

*Lychnis sylv. vel marina* fl. rubro pulcherrimo 85.

*Lychnis fol. Bellidis crassiori subhirsuto* 85.

*Lychnis flore pallide viridi* 85.

*Lychnis*

- Lychnis montana* folio Gramineo fl. spicato exiguo 86.  
*Lychnis Sicula* elatior, folio *Salicis* 86.  
*Lychnis angustifolia*, calyculis striatis 86.  
*Lychnis Alpina* repens alba, fol. *Lini*, petalis bifidis 86.  
*Lychnis* fol. Centaurij minoris glabro 86.  
*Lychnis repens*, caule lignoso, angustifolia 87.  
*Caryophyllus Sinensis*, fl. pulcherrimo 88.  
*Sedum aizoides Alpina*, trifido folio minor 91.  
*Blattaria* fl. luteo amplo, folio laciniato 92.  
*Blattaria* fl. luteo amplo, fol. hirsuto *Verbasci* 92.  
*Digitalis* fol. glabro angusto 93.  
*Antirrhinum* flore luteo grandi 95.  
*Antirrhinum* fol. *Linariæ*, fl. toto albo 95.  
*Antirrhinum angustifolium*, fl. magno purpureo 95.  
*Scrophularia* fol. Sambuci hirsuta 96.  
*Polygala Afric.* frutesc. fol. Myrti, fl. alto intus rubro 97.  
*Veronica* fol. tenuiter laciniatis instar *Paronychiæ* 98.  
*Veronica pratensis* *Serpillifolia* angustifolia 98.  
*Convolvulus peregrinus* fol. anguloso, fl. albo parvo 102.  
*Convolvulus peregrinus* tenuifol. argent. pilosus, fl. carneo 102.  
*Campanula longifolia*, fl. conglomerato albo 104.  
*Trachelium peregrinum* frutesc. crassissimo trunco, instar *Endiviæ* 104.  
*Rapunculus Valerianoides cæruleus umbellatus* 104.  
*Rapuntium galeatum Virginianum*, cæruleo flore 105.  
*Tithymalus* folio *Salicis* hirsuto 106.  
*Tithymalus* fol. cordiformi serrato 107.  
*Tithymalus Mauritanicus*, aphyllus angulosus spinosus minor 107.  
*Geranium Afric.* frutesc. *Malvæ* fol. laciniato odorato instar *Melissæ* fl. purpurascens 110.  
*Geranium Afric.* frutesc. fol. *Achimillæ* hirsuto, cum fimbrijs purpureis 110.  
*Geranium Columbinum* flore minore dilute rubro 111.  
*Geranium* fol. *Altheæ Afric.* odore *Melissæ* 111.

- Geranium Afric.* fol. *Alchimilla* piloso maculato 112.  
*Geranium Uvae crispæ* fol. caulic. virid. surrectis, fol. profundius incisfis, flore saturatè rubro 112.  
*Malva Afric.* frutesc. fol. *Grossulariæ*, fl. rubro 114.  
*Althea Sabdariffa* erecta trifoliata 115.  
*Hermannia* frutescens fol. oblongo serrato latiori 115.  
*Hermannia* frutesc. fol. *Grossulariæ* parvo hirsuto 115.  
*Hermannia* frutesc. f. *Ibisci* hirsuto molli, caule piloso 115.  
*Hermannia* frutesc. fol. multifido tenui, caule rubro 116.  
*Hermannia* frutesc. fol. oblongo molli cordato hirsuto 116.  
*Cistus* mas folio longiore 116.  
*Papauer Orientale* annuum 119.  
*Nigella* latifol. fl. parvo simplici 120.  
*Linum Afric.* luteum, folijs conjugatis 120.  
*Linum* fl. rubro, odore Moschi 120.  
*Sedum Afric.* arboresc. fol. viridi obtuso majus 120.  
*Sedum Afric.* frutesc. fol. longo serrato confertim nato 121.  
*Sedum Afric.* frutesc. caule pellucido, fol. subrotundo 121.  
*Sedum Afric.* folio villoso oblongo 121.  
*Sedum Afric.* folio rotundo minori 121.  
*Telephium* majus caule rubro, fl. luteo 122.  
*Ficoides Afric.* arboresc. lignosa, fol. glauco brevi, fl. pallido 122.  
*Ficoides Afr.* arboresc. lignosa, perfoliata, fol. glauco brevi ad suprema averfa parte spinâ unica armatâ 123.  
*Ficoides Afric.* arboresc. fol. tenuissimo triangulari aspero, fl. luteo 123.  
*Ficoides Afric.* arboresc. fol. viridi longo triangulari aspero 123.  
*Ficoides Afric.* arboresc. lignosa, spinis validis ligneis ad ramos armata, folio tenui & brevi 123.  
*Ficoides Afr.* frutescens fol. glauco parvo, fl. violaceo 123.  
*Ficoides Afric.* fol. triangul. crasso glauco ad 3 margines aculeato 123.  
*Ficoides Afric.* humilis fol. crasso viridi ad extrema spinoso, fl. violaceo 123.

- Ficoides* Afr. humilis, fol. viridi crasso longo ad iuperi-  
ora spinoso conjugato 123.
- Ficoides* Afric. erecta arborefc. geniculato caule, fol. vi-  
ridi 123.
- Ficoides* Afr. erecta arborefc. lignosa, fl. radiato primo pur-  
pureo, dein argenteo interdum clauso, nocte aperto 124.
- Ficoides* Afric. fol. glauco crasso fl. aureo 124.
- Ficoides* Afric. fol. variegato aspero, ad apicem stellâ  
spinosâ ornato, flore violaceo 124.
- Ficoides* Afric. fol. variegato aspero ad apic. stellâ purp.  
ornato, minor 124.
- Ficoides* Afric. fol. variegato aspero, ad apic. stella purp.  
ornato erecta 124.
- Ficoides* Afric. fol. viridi, micis quasi glaciatis splenden-  
tibus ornato fl. coccineo 124.
- Ficoides* Afric. fol. longo tenui, flore rubro 124.
- Ficoides* Afric. fol. longo tenui, fl. aurantio 124.
- Ficoides* Afric. humilis fol. crasso splend. viridi Aloefor-  
mi, fl. luteo magno 124.
- Pæonia* fol. trifidi amplo supra viridi, infra pallido, fl.  
simpl. purp. amplo 125.
- Consolida* Regalis Hort. fl. carneo, calcari longissimo 128.
- Fumaria* Neapolitana flosculis subflavescentibus in sumi-  
tate nigricantibus 130.
- Fabago* Africana frutescens minor 135.
- Thlaspi* Alysson dictum, campestre minus, fol. breviori 137.
- Thlaspi* Alysson fol. Leucoij latissimo aspero viridi 137.
- Sinapi* arvense album hyemale, folio Rapi, sem. luteo 142.
- Erysimum* sem. minimo pallido, siliquis *Eruce* 143.
- Hesperis* exigua lutea, fol. dentato angusto 146.
- Hesperis* fl. albo minimo, siliquâ longâ, fol. profunde  
dentato.
- Hesperis* maritima exigua supina 147.
- Hesperis* siliquis hirsutis, flore parvo rubello 147.
- Hesperis* hirsuta fl. albo minore, fol. aspero parvo La-  
vandulæ, siliquis *Cornu Cervini* divisura 147.



Eadem fl. purpureo vario 147.

Dentaria pentaphyllos, folijs mollioribus 147.

Genista Hisp. virgultis longioribus tenuioribus & sulcatis 148.

Genista-Spartium fol. minimis, spinis mollissimis 149.

Cytisus glaber, folijs medijs longioribus 150.

Phaseolus erectus caule & folio rigido, flore pallido luteo, siliquâ crassâ & amplâ 152.

Melilotus lutea, flosculis minimis spicatis 152.

Trifolium annuum fuscum, flore dilute rubello 153.

Trifolium perenne fuscum, fl. albo 153.

Trifolium Afric. fol. obtuso, fl. pallide cæruleo 153.

Anonis spinosa, fl. albo minor 154.

Anonis spicata sive Alopecuroides major 154.

Anonis folio Viciæ 154.

Medica siliquâ falcatâ planâ, ad margines aculeata, lutea 155.

Medica Cochleata polycarpus, capsula compressâ 155.

Medica Cochl. polycarpus spinosâ capsulâ, seu spinis longioribus capsulam inuolventibus 155.

Lotus siliquis geminis peregrina 156.

Lathyrus latifol. minor, fl. majore 158.

Lathyrus Siculus flore odorato magno 159.

Lathyrus angustifol. *Siculus*, siliq. hirsutis, fl. purpureo cæruleo 159.

Lathyrus latifolius fl. gilvo é *Smyrna* Dr. Sherard 159.

Vicia fl. albo siliquâ longâ glabrâ 160.

Vicia fol. & siliquâ latis, siliquâ hirsutâ 160.

Vicia major, fl. purpureo sparso, siliquis multis erectis 161.

Orobus latifolius repens, siliquâ parvâ 162

Orobus latif. repens fl. cæruleo, fol. & siliquis hirsutis 162.

Coronilla major, fl. violaceo 165.

Hedysarum clypeatum asperum, siliquâ spinosissimâ fl. purpureo 165.

Astragalus *Orient.* fol. *Viciæ* incanis, angustis, oblongis 167.

Astragalus *Syriacus* hirsutus *Sherard* 167.

Astra-

- Astragalus hirsutus Smyrna missus Sher.* 167.  
*Astragalus fol. Tragacanthæ glabro, parvus Sher.* 167.  
*Astragalus repens minor fl. cæruleo, siliquâ Epiglottidi simili* 167.  
*Astragalus siliquâ bullatâ & bifariam divisâ Sher.* 167.  
*Herba mimosa Zeylanica spinosissima* 168.  
*Bryonia alba asperior, folijs majoribus* 170.  
*Solanum fruticosum bacciferum fol. rigidiores* 173.  
*Colocassa folijs ad caulem apertis* 176.  
*Opuntia fol. oblongo media; spinis frequentioribus & brevioribus armato* 181.  
*Lapathum fol. longissimo crispo* 183.  
*Acetosa rotundifolia annua* 184.  
*Halimus folio minore* 186.  
*Chenopodium Americ. vel Armenium folio Kali* 187.  
*Botrys Ambrosioides Mexiocana perennis* 187.  
*Rafeseda maxima Cretica, folijs Cannabinis* 194.  
*Hyacinthus Oriental. fl. pleno carneo parvo* 199.  
*Hyacinthus Orient. fl. pleno cærul. purp. minore* 199.  
*Hyacinthus Orient. fl. pleno albo internè rubis punctis adsperso* 199.  
*Hyacinthus Orient fl. pleno cæruleo porcellano* 199.  
*Hyacinthus Orient. fl. pleno cærul. purp. magno* 199.  
*Crocus vernus latifol. aureus minor* 200.  
*Crocus vernus latif. fl. externè pallido, intus cæruleo striato* 202.  
*Crocus vern. latif. fl. ext. pallido violaceo variegato, intus cæruleo* 202.  
*Crocus vern. latif. fl. purpureo minor* 202.  
*Crocus vern. latif. fl. albo purpureo major* 202.  
*Crocus vern. latif. fl. albo purp. minor* 202.  
*Crocus vern. alterno floris folio albo, alterno cæruleo* 202.  
*Crocus vernus fl. candido pmo* 202.  
*Iris bulbosa Hispanica variegata* 205.  
*Iris bulb. Anglicana fl. albo, cæruleis lineis variegato* 205.

- Aloe Afric.* caulescens perfoliata, angustiori spinosissimo folio *Beaum.*
- Aloe Afric.* caulesc. fol. spinosis, macul. ab utraque parte albicantibus obscurioribus, folijs glaucis *Beaumont* 210.
- Aloe Afric.* humilis spinis herbaceis inermibus & verrucis obsita, folio crassiori *Beaum.* 210.
- Aloe Afric.* fol. obscuro viridi, spinis ad latera & verrucis in dorso armato 211.
- Lilium Martagon* purpureum punctatum 214.
- Lilium Martagon Bizantinum* medium 214.
- Lilium Martagon Bizantinum* minus 214.
- Ornithogalum* viride minus 218.
- Lilium Javanicum* habitum. an *Lilio-Asphodelus* *Com.* Rar. 14?
- Cyclamen* radice *Anemones*, fl. purp. minore odorato 223.
- Lingua Cervina* fol. in summo multifidis & corniculatis, minor, eleganter laciniata 234.
- Buxus Africana* folio oblongiori non serrato 238.
- Lycium Africanum* fructu rubro 246.
- Lycium Pruni* folio subrotundo, fl. candicante 246.
- Rhamnus Afric.* spinis longis, cortice albo fructu cæruleo 246.
- Alaternoides Afr.* fol. *Ericæ*, flore muscoso albo 248.
- Alaternoides Afr.* fol. *Telephij* legit. *Imperati* 248.
- Philyrea* fol. magis serrato subrotundiori 248.
- Ligustrum* fol. latioribus 248.
- Lauro* similis flore, folio tenero 249.
- Jasminum Indicum* fol. conjugatis max. fl. albo odoratissimum 250.
- Jasminum Castaneæ* folio, fl. odoratissimo rubro, fructu qui *COFFE* duro *Commel.* 250
- Olea Africana* humilis lucida 250.
- Viburnum Americ.* fl. albo 255.
- Viburnum Americ.* fl. purpureo cæruleo 255.
- Viburnum Americ.* folijs longioribus 255.

*Periclymenum minus* 256.

*Periclymenum Afric.* folio *Pruni* 257

*Berberis Mauritanica* 260

*Malus Limonia* fol. angustiore spinosa 264.

*Malus Limonia* fol. angustiore non spinosa 264.

*Cerasus Hottentottorum* fol. minori magisque rotundo 266.

*Mespilus* magno oblongo laciniato folio 275.

*Evonymo* affinis *Afric.* Ulmi folio, fl. rotundo *Malvaceo*, tetracocco 278.

*Chrysanthemum* baccifer. *Populi* fol. *Africanum* 278.

*Arbuscula* alatis folijs ad *Jalminum* vulgatus accedentibus 278.

*Arbuscula Africana* tenui muscoso flosculo 278.

II. *These are of late Discovery, and rare in our English Gardens.*

**P***Entaphylloides* fol. *Ulmariæ*, flore albo 5. *Tournef.*  
*Bulbocastanum Lusit.* fol. tenuiter diviso. 9. *V. Lusit.*

*Oenanthe* caule flexoso & fistuloso 9. *Mor. Umb.*

*Oenanthe Lusit.* sem. crassiore globoso 9. *Tourn.* 313.

*Angelica Alpina* ad nodos florida 10. *Tour.* 313.

*Apium* degener fol. longius dissectis 12. *Mor. U.* 24.

*Thapsia* Apij folio *Lusit.* tætidissima fl. albo 12. *T.* 322.

*Laserpitium* folijs amplioribus, sem. crispo 13. *T.* 324.

*Laserpitium* humilior *Paludapij* folio, fl. purp. 13. *T.* 325.

*Laserpitium* angustifolium sem. crispo 14. *Tourn.*

*Pastinaca* tenuifolia *Cretica*, umbella radijs *Gingidij* longioribus *M. Umb.*

*Caucalis* major *Daucoides Tingitana* *M. Umb.* 65.

*Cachrys* sem. fungoso lævi, fol. *Ferulaceis* *M. U.* 62.

*Ferula* durior seu rigidis & brevissimis folijs *Bocc. M.* 84.

*Sphondylium* max. *Transylvanicum Ricini* fol. *Breyn. Prodr.* 2.

*Valeriana* fol. *Calcitrapæ* magis secto 19. *M. Umb.*

*Hieracium* fol. caulem amplexo 25. *Triumfet.*

After *Amer. latif. maximus*, puniceis caulibus H. Ludg.  
Bat. 651. Fig.

After *Novæ Belgiae latifol. paniculatus*, fl. saturatè violaceis H. L. Bat. 67. Fig.

After *Novæ Belgiae latifol. umbellatus*, fl. dilutè violaceis H. L. B. 69. Fig.

After *Novæ Angliæ altissimus hirsutus*, fl. amplissimis purpuro violaceis *Parad. Batav. Prodr.* 98. Fig.

After *Novæ Angliæ purp. Virgæ aureæ facie & folijs undulatis* P. Bat. pr. 96. Fig.

*Virga Aurea Novæ Angliæ lato rigido folio* P. Bat. pr. 243. Fig.

*Jacobea Afric. frutesc. fol. rigido & hirsuto major* H. Amst. 2. Fig. 75.

*Jacobea Afric. frutesc. fol. rigido & hirsuto minor* H. Amst. 2. p. 149.

*Jacobea Afric. frutesc. fol. glauco crasso succulento* H. Amst. 2. Fig. 74.

*Jacobea Afr. fol. Hederae terrestris* H. Amst. 2. Fig. 73.

*Anemone spermos Afric. fol. Card. Benedict. fl. albo extus puniceo* H. Amst. 2. Fig. 22.

*Chrysanthemum Canadense, Ranunculi rad. Strumosum* vulgo H. L. B.

*Ptarmica Alpina Matricariae folijs* 37. *Triumfet.* 83.

*Ptarmica Alpina incanis ferratis folijs* H. L. Bat. 694.

*Ptarmica fol. profundius ferratis, lacte viridibus elatior* H. L. B. 694.

*Calendula humilis Afr. fol. Leucoij, fl. albo* H. Amst.

*Senecio Amer. purpureo caruleo flore* El. Bot. 362.

*Senecio Afric. arborefcens, fol. Ficoides* H. Amst. 2. Fig.

*Eupatorium Novæ Angliæ Urticæ folijs, fl. purp. maculato caule* H. L. B. 667.

*Coma aurea Afric. frutesc. fol. glauco ad extrema trifido* H. Amst. 2. Fig.

*Chrysanthemum Cannabinum Americanum* H. R. Blas 254.

*Abrotanum fam. canescens fol. Stæchadis citrinæ* Breyn. Pr. 1.  
Pana.

- Tanacetum Afr.* arborefcens, fol. Lavandulæ H. *Aftm.* 2. Fig.  
*Scabiofa* folio Cardiacæ Bocc. *Sicul.*  
*Carduus Creticus* incanus, fl. luteo purpureo I. R. H. 441.  
*Carduus Melitenfis* capitulis conglobatis I. R. H. 442.  
*Carduus Melitenfis* Erucæ folio fl. luteo I. R. H. 442.  
*Carduus Sphærocephalus Tingitamus* I. R. H. 441.  
*Jacea argentea Ragufina* Zanon 107.  
*Jacea cinerea laciniata*, fl. purpureo *Triumpheti* 72.  
*Serratula Virginiana* folijs rigidis P. B. pr. 227. Fig.  
*Serratula Novæborac.* altiffima, fol. Dorix mollibus fubincanis P. Bat.  
*Gallium saxatile* glauco folio Bocc. Mus. Tab. 116.  
*Betonica major Danica* Park. 615.  
*Betonica minima Alpina Helvetica* Park. 614.  
*Clinopodium Canad.* fistulolum angustifolium H. L. Bat.  
*Horminum fanguineum Afphodeli* radice *Triumph.* 69.  
*Horminum* Verbenæ lacinijs *Triumph.* 66.  
*Bugula odorata Lufitanica* Corn. 46.  
*Ocimum Ægyptiac* odorat. fol. longis pediculis innixus *Ambrof.*  
*Marrubiastrum* fol. Cardiacæ Bocc. Mus. Tab. 98.  
*Pfeudo-Dictamnus Afric.* Hederæ Terreftreis fol. Old. I. R. H. 188.  
*Calamintha præalta* odore Pulegij Bocc. Tab. 40.  
*Dracocephalum Americanum Breyn.* Pr. 1. Fig.  
*Bugula Alpina* maxima I. R. H. 209.  
*Marrubium* aq. fol. profundiffimè diffectis H. L. B. 408.  
*Verbena altiffima Americana* P. Bat.  
*Verbena latifol. Lufit.* procerior I. R. H. 200.  
*Auricula Urſi* minima, fl. carneo & niveo I. B. 3. p. 869.  
*Portulaca Curaffavica* Capparidis fol. P. Bat. pr. 213. Fig.  
*Portulaca Curaff.* lanuginofa erecta P. Bat. pr. 214. Fig.  
*Blattaria* fl. cæruleo, fol. fplendente *Mandragoræ* *Triumph.*  
*Blattaria incana multifida* Bocc. 61.  
*Linaria Americ.* max. purpureo flore H. L. Bat. 377 Fig.  
*Scrophularia nemorenfis* fol. *Urticæ* rugofo, fl. atro punicante H. *Catholic.*

*Polygala frutescens* Cap. *Bona Spei* Breyn. Cent. 107.

*Polygala frutesc.* fol. *Buxi* fl. maximo Old. I. R. H. 175.

*Hypericum frutescens Virgin.* tomentosum & incanum P.

Bat. pr. 188. Fig.

*Convolvulus Amer.* pilosus, fl. luteo, umbone purpureo

H. *Amst.* Fig.

*Campanula altissima hirsuta* flor. conglomeratis Hort. Bat.

*Campanula minima Afric.* Erini facie, fl. violaceo, cauliculis

procumbentibus H. L. B. 109.

*Tithymalus Ragusinus* fl. luteo pentapetalo H. L. B. 601.

*Tithymalus Afric.* caule tuberoso minor ex Hort. Beaum.

107.

*Datura Amer.* Hyoscyami folio Hor. Bat. 2.

*Datura Coch.* spinosissima Zan. 76.

*Geranium Afric.* noctu olens tuberosum fol. *Vitis* hirsuto

H. *Amst.* 2.

*Geranium Afric.* frutescens fol. glauco, sapore *Acetose*

Com. 2. Fig.

*Geranium fætidum* Park.

*Althea frutesc.* *Lusit.* fol. rotundiori undulato I. R. H. 97.

*Malva rotundifolia Italica*, fl. amplo purpurecente I. R.

H. 96.

*Malva Hispan.* fol. rotundis undulatis Flor. Bat. 2.

*Malva rotundifol.* glabra *Hisp.* fl. amplo rubello Pluk. 44.3.

*Malva Sylvestris* fol. *Beonica* Bocc. 114.

*Ketmia Africana* Populi folio I. R. H. 100.

*Cistus Ledon* fol. latis & hirsutis Flor. Bat. 2.

*Colyledon* fl. luteo rad. repente Dodart. mem. 73.

*Colyledon* fl. luteo medio H. L. Bat. 191.

*Colyledon Afr.* frutesc. fl. umbellato coccineo *Comel.* 2.24.

*Telephium Amboinense* maximum H. *Beaumont.*

*Helleborus niger trifolius* H. *Fernes.* 92.

*Sinapisitrum Lusit.* tryphyllum fl. rubro, siliquis cornicu-

latis H. L. Bat.

*Fumaria Africana* vesicaria scandens P. Bat.

*Clematis tetraphyllos Americana* siliquosa H. R. Par. 71.

*Asclepias*

*Afclepias Africana* aizoides, fl. pulchré fimbriato *Com.* 19.

*Apocynum majus Syriacum* rectum *Corn.* 91.

*Apocynum minus* rectum *Canadense* *Corn.* 93.

*Apocynum Canad.* humilior fol. angustissimo *H. L. Bat.*

*Apocynum* rectum latifol. *Americ.* majus *Park.* 385.

*Apocynum* fruticos. fol. rotundiori crasso *P. Bat.*

*Apocynum* frutesc. fol. rotundiori magis acuto *P. Bat.*

*Apocynum* erect. *Canad.* latifolium *P. Bat.*

*Thlaspi* incanum fol. *Leucoij* *Bocc.*

*Leucoium saxat.* fol. viridi, fl. purpureo eleganti *Cupani.*

*Thlaspi* latif. platycarpon *Leucoij* folio *Bocc.* 55.

*Thlaspi* verum primum *Dioscoridis* *Zan.* 191.

*Lepidium* humile minus incanum *Alepicum* *L. R. H.*

*Cochlearia* major *Batavica* erecta fol. oblongo *H. L. Bat.*

165.

*Sinapi Indicum* *Lactucæ* folio *P. Bat.*

*Sinapi Indic.* *Lact.* fol. minus seu angusto profundius crenato *P. B.*

*Sinapi Hispanicum* fol. *Nasturtij* *Tourn.* 227. fl. pallide purpureo 142.

*Nasturtium Pyrenaicum* aquaticum *P. Bat.*

*Nasturtium* montanum fol. *Asari* *Bocc.* 5.

*Cardamine Sicula* fol. *Fumariæ* *T.* 224. *Bocc.* 84.

*Leucoium Lusit.* purpureum fol. eleganter dentatis *P. Bat.*

193. Fig.

*Hesperis Sicula* frutescens, siliqua tricuspidi *T.* 223. *Boc.*

*Mus. Tab.* 111.

*Hesperis Sicula* *Coronopi* fol. siliquâ tricuspidi *T.* 223.

*Bocc. Mus. Tab.* 111.

*Genista tinctoria Germanica* fol. lucidis glabris *H. L. B.*

*Phaseolus Indicus* flor. & fructu candidissimis *Volk.*

*Phaseolus Indicus* cochleato flore *Triumph.* 92.

*Fenum Græcum* *Sylv.* minus *Monspel* *Breyn.* *Cent.* 79. Fig.

*Fenum Græcum* *Sativum*, polyceration *Cretic.* majus *Breyn.*

*Cent.* 80.

*Anonis* spicata sive *Alopecuroides Lusitanica* *Hofm.*

*Medic.*



*Medica* annua, filiquis hirsutis falcatis *Flor. Bat.* 1.  
*Colutea* vesic. *Afr.* frut. fol. Senæ, fl. sanguineo *Com?*  
*Onobrychis* minus, fr. maximo insigniter echinato *Triumph.*

65.

*Lupinus* peregr. major, fl. incarnato *H. L. Bat.*  
*Lupinus* angustifol. cerul. elatior *Ray H. Plant.* 908.  
*Hedysarum* triphyllum *Canad.* Cornuti 44.  
*Hedysarum* annuum filiqua aspera undulata intorta *T.* 401.  
*Astragalus* purp. perennis *Monspessulanus* Magn.  
*Bryonia* *Zeyl.* fol. profundè laciniatis *H. L. Bat.* Fig.  
*Bryonia* *Afr.* laciniata, tuberosa rad. fl. herbaceis *P. Bat.*  
*Polygonatum* racemosum fl. luteo majus *Corn.* 37.  
*Polygonatum* racemosum fl. luteo minus *Corn.*  
*Asparagus* aculeatus max. sarmentosus *Zeylanicus* *H. L. Bat.*

Fig.

*Anapodaphyllon* *Canad.* Morini *T.* 239.  
*Arum* max. cauliculis nigricantibus, *Zeylanicum* *H. L. Bat.*  
*Arum* triphyllum *Dodart.* Mem. 81.  
*Cucumis* *Canad.* monospermos, fr. echinato *Par. Bat.* Fig.

133.

*Cucumis* puniceus *Indicus* major *P. Bat.*  
*Ficus* *Indica* Scolopendriæ folio Epiphyllitis *P. Bat.* Cat. 8.  
*Cereus* erect. *Curass.* tetragonus articulatus *P. B. pr.*  
*Cereus* scand. minor trigonus articulatus, fr. suavissimo  
*P. Bat.* 118. Fig.

*Cereus* scand. minor polygonus articulatus, *P. Bat.* 120.  
*Acetosa* *Moscovitica* sterilis *H. Ox.* 583.  
*Atriplex* angustifol. & longifol. folio *H. L. Bat.*  
*Parietaria* *Sicula* fol. Alfinæ *Bocc.* 47.  
*Pimpinella* sanguisorba eleganter laciniata *S. B. P. T.*  
*Pimpinella* max. *Canad.* alba spicata *Corn.* 175.  
*Pimpinella* *Agrimonoidea* *Bocc.* 58.  
*Gnaphaloides* *Lusitanica* *T.* 439.  
*Mercurialis* procumbens dicoccos *Afric.* fol. *Violæ* tricoloris *P. Bat.*

*Hyacintho* affinis *Afric.* tuberosa rad. umbellata cærulea inodora H. L. Bat.

*Colchicum* variegatum *Corn.* 137.

*Canna Indica* angustifol. fl. flavo H. L. Bat.

*Ornithogalo* affinis rad. tuberosa, fol. *Cyclaminis Breyn. Cent.*

*Ornithogalum Afric.* lut. odorat. fol. *Cepaceis* rad. tuberosa H. L. Bat. Fig.

*Scilla Afric.* fl. parvo viridi, bulbo amplissimo lanuginoso H. *Amst.* 2 Fig.

*Lilium Amer.* puniceo flore, *Bella dona* dictum P. Bat. Fig. 194.

*Lilio narcissus Afr.* platycaulis humilis, fl. purp. odorato H. *Amst.*

*Gramen Sparteum* marit *Hollandium*, spicâ *Secalinâ* Ray.

*Gr. Dactylon* max. *Americanum* H. R. Par.

*Arundo Indica* variegata seu *Laconica* *Theophrasti Corn.* 55.

*Polypodium* majus folio serrato *Barrel.* Icon.

*Fraxinus Alepensis* H. L. Bat.

*Fraxinus Americana* florida H. R. Par,

*Fraxinus* florifera *Botryoides* H. R. Blæs.

*Lentiscus* vulg. fol. minoribus & pallidioribus H. L. Bat.

*Jasminum Afric.* folio *Ilicis Com.* Fig. 6.

*Vitis Idea Zelanica* odoratissima T. 608.

*Myrtus* folijs *Buxi Schuyl.* Hort. 49.

### III. The following Plants, tho formerly discovered, are not common in our English Physick Gardens.

**A** *Nemone trifolia* C. B. 176. *Phyt.* 317.

*Anemone* Sylv. alba major C. B. 176.

*Ranunculus nemorosus luteus* C. B. 198. flor. duobus *Var.*

*Menm* latifol. adulterinum C. B. 148.

*Cithmum* marit. majus odore *Apij* C. B. 288. 1.

*Apium montanum tenuifolium* C. B. 153.

*Thapsia* latifol. villosa C. B. 148.

*Thapsia* folijs *Libanoditis* fætidissima C. B. 148.

*Caucasis*

- Caucalis pumila maritima* C. B. 152.  
*Valeriana tuberosa* I. B. 3. p. 209.  
*Sonchus lævis laciniatus cæruleus Alpinus* C. B. 124.  
*Tussilago Alpina rotundifolia glabra* C. B. 197.  
*Cacalia tomentosa* C. B. 198.  
*Bellis spinosa fol. Agerati* C. B. 262.  
*Dipsacus sativus fol. laciniato* C. B. 385.  
*Eryngium montanum pumilum* C. B. 386.  
*Atractylis fl. purpureo* Ludg. 1468.  
*Jacea Babylonica* C. B. pr. 129.  
*Jacea marit. candidissima fol. Stebes* C. B. 272.  
*Centaurium Alpinum luteum* C. B. 117. pr. 56.  
*Rubeola repens lutea folijs spinosis* C. B. 334.  
*Tragoriganum Creticum minus & tenuis Alpin.* Exot. 79.  
*Tragorig. Cret. majori crassiori, asperiori folio Alp.* Ex. 79.  
*Sideritis Alpina Hyssopifolia* C. B. 233.  
*Sideritis hirsuta vulg. erecta* C. B. 233.  
*Verbena nodiflora* C. B. pr. 125. Fig.  
*Alfine affinis Androsace dicta major* C. B. 251.  
*Soldanella Alpina rotundifolia* C. B. 295.  
*Gentiana palustris latifol. fl. punctato* C. B. 188.  
*Hyoscianus albus Ægyptius Alp.* Exot. 192.  
*Linaria tryphylla minor lutea* C. B. 212.  
*Hedera saxatilis magno flore* C. B. 306.  
*Tithymalus Characias fol. ferrato* C. B. 293.  
*Ruta Sylv. fl. magno albo* C. B. 336.  
*Alcea villosa hirsuta* C. B. 3 6.  
*Nigella Cretica* C. B. prodr. 75.  
*Peonia folio latiori promiscua Vormarij* I. B.  
*Jonthlaspi minimum spicatum* Col. 284.  
*Leucoium mont. fl. pedato* Col. 2. 61.  
*Jondraba Apula Alyssoides spicata* Col. 285.